



Manufacturers of Giraffe, Monkey and Squirrel Adjustable Height Platforms

Contents

Why AHP?
Your peace of mind



...walk up to your job



Monkey Series

HEIGHT ADJUSTABLE STEP TOWER

If your work is at various heights, your work platform should be too!



Squirrel Series

PORTABLE HEIGHT ADJUSTABLE STEP PLATFORM Agile, quick and sure height access 35

AHP In Action

Check out the Equiptec AHP in action and own the hight ground!

What can Equiptec AHP's do for you?

Many millions of workers are required to work at height in their day-to-day jobs. Whilst there is a huge variety of both workers, and types of work, what they all ultimately want is a safe and stable platform to work on to get the job done.

Working at height is inherently dangerous but is unfortunately a necessary evil in so many industries. Even if it has been minimized, any work at height still carries risk. That's when the Operators choice of equipment is so important and directly impacts the effectiveness of his strategy to minimize the risk.

The right safety equipment should both reduce the risk of injury and increase productivity. Equiptec's Adjustable Height Platforms (AHP) are a new, revolutionary method that achieves both of those aims simultaneously, and can be utilised for most low-level access situations. They remove a great deal of the risks presented by traditional Scaffold and Ladders, at the same time as providing greater efficiency and ease of use than Scissor lifts and other EWP.

Equiptec's quality of product is exceptional and also does not require any form of fossil fuels that have to be managed or batteries that have to be charged. That means your operation is not only easier to oversee, but it is also has a smaller carbon footprint!

With more than 30 years of experience in the industry, we have a wealth of knowledge and expertise to help you with your specific needs. Equiptec's greatest motivation is to provide maintenance teams around the world with the worlds best platform system so they can work comfortably, get the job done faster and, above all, get home safe at the end of the day.

- Solve numerous access issues with one piece of kit
- Remove a big source of accidents... ie Ladders
- Work comfortably at the right ergonomical height...at each different height job
- Avoid the need to supply, train for, administer, inspect and certify Fall Arrest gear
- Reduce the demand on your precious real estate area with multi use platforms

Only with Equiptec AHP's "Own the high ground!"

Let us share a story

Back in 2009 Equiptec received a plea from the Mining Industry for a solution to a pressing problem…every new or different type of machine that needed servicing seemed to need a different ladder/platform/stair set. No matter how many they had, they always turned out to be the wrong size!

To illustrate their point, Equiptec was shown a yard full of battered looking ladders and stair units. The message was clear...they wanted fewer stair platforms to do more jobs...better. The Equiptec design team tackled the challenge to achieve what seemed impossible...a short while later, the first AHP presentation was made to that mining customer. They were 'blown' away with the result. It was hard for them to believe that with just 2 models, they were able to access their entire multitude of servicing points on all of their machines.



As they said...the AHP was a game changer for them. Could it be for you too?





It goes without saying, but if you are comfortable and confident you can produce your very best

That's what the G20 does for your people...providing a spacious, strong, easily accessed and firm deck, at the position and height that best suits them to work their maintenance magic safely and in absolute confidence.

Your plant maintenance can be done faster - sometime lots faster - and your gear can be back in action quicker saving big dollars. Everyone wins with the G20.

- Handpump adjustment over 1350mm in height while deck cantilever remains the same allowing consistant access to multiple different
- Wide easy climb stairs do not change angle throughout adjustment range
- No vertical climbing
- Extra long free cantilever deck includes 3 exit gates
- Huge range of options can be retrofitted


The Giraffe G20 units have been tested and confirmed to meet or exceed the strength, stability and all other applicable requirements for the following standards:

- AS/NZS 1576.1:2019 (Australia and New Zealand)
- ANSI-ASC A14.7-2011 (USA)
- CSA Z11-12 (Canada)



and YOU!

Built for safety, comfort fast turn arounds **Built for**



M

Nine great benefits

Replace multiple fixed height platforms with one versatile high quality multiuse unit. The result is a truly versatile workstation.

The Giraffe can nose its way into many different situations, giving comfortable, constant grade stair access. The wide, flat deck makes previously awkward, dangerous and time consuming jobs easy, safe, and very efficient.



Efficent to climb with constant grade stair at any platform height



Anti sway platform locks. Physical lock at every step height



3 Gate gives access to work surface off the end or either side



Safe and steady height adjustment with hydraulic safety valve + decent speed control



Minimal floor footprint that remains the same for all platform heights



Easy to load and transport with forklift pockets in chassis



Reach over obstacles with generous 1.74m platform



Climb or decend spacious, easy gradient stairs effortlessly



Prevent falls down the stair with the firm safety bar





www.equiptec.co +64 6 842 0222 **6**

G20 Height Range

One base model reaching up to 4.7m

| | Deck Height Range | Overall Width | Overall Length | Platform Width | Platform Length |
|--------------|-------------------------------|------------------|-------------------|-------------------|--------------------|
| G20 | 1.5m to 2.9m | 1456mm | 4495mm | 780mm | 1786mm |
| | 63in to 116in | 57.5in | 177in | 30.5in | 70.5in |
| G20 + 1 Step | 1.8m to 3.1m | 1456mm | 4750mm | 780mm | 1786mm |
| | 71in to 124in | 57.5in | 187in | 30.5in | 70.5in |
| G20 + 2 Step | 2.0m to 3.3m | 1456mm | 4945mm | 780mm | 1786mm |
| | 80in to 133in | 57.5in | 194.5in | 30.5in | 70.5in |
| G20 + 4 Step | 2.4m to 3.8m 97in to 150in | 1900mm 75in | 5395mm 212.5in | 780mm 30.5in | 1786mm 70.5in |
| G20 + 8 Step | | | | | |
| | 3.7m to 4.7m | 2500mm | 7270mm | 780mm | 1786mm |
| | 133in to 186in | 98.5in | 286in | 30.5in | 70.5in |

Optional Accessories

The Giraffe G20 system includes many retrofittable accessories allowing you to configure a more exact solution for your access challenges. And when your needs change...so can your G20!





150kg loading. It still features 3 exit gates as does the standard deck and rolls out effortlessly at any height. Once you are finished with it, simply slide it back in out of the way.



If you need to have 2 workers working side

by side...the Hammerhead is your answer. With a capacity of 200kg WLL this deck not

only gves more room, but also offers both

side gates and individually removable front

access to the workface on one or both sides.

facing gates. Thats great unobstructed

HAMMERHEAD DECK

ANGLED DECK

When you are faced with tight space the G20 Angled Deck will save you precious room. With the ability to park your G20 parallel to your work project and "walk the plank" straight out at 90 degrees from the main deck...this option is awesome! With a 150kg capacity it includes an end gate and the same pack components can be assembled either to the right hand or left hand sides.



ALL TERRAIN KIT

Larger diameter, heavy duty, towable wheels along with Jack Stands at each corner allow units with this accessory added to operate off the hard stand. With a level bubble on each corner, its easy to get the unit level and firm even if the ground is uneven.





+64 6 842 0222 **8** +64 6 842 0222

G20 Configurations

G20 Configurations cntd

Own the high ground!

| Product Code | Product Description |
|-----------------|---|
| 840120 | Giraffe G20 Engineers Maintenance Stair |
| 840121 | Giraffe G20 Engineers Maintenance Stair w Slide Out Deck |
| 840122 | Giraffe G20 Engineers Maintenance Stair w Hammerhead Deck |
| 840124 | Giraffe G20 + 1 Step Engineers Maintenance Stair |
| 840125 | Giraffe G20 + 1 Step Engineers Maintenance Stair w Slide Out Deck |
| 840126 | Giraffe G20 + 1 Step Engineers Maintenance Stair w Hammerhead Deck |

| Product Code | Product Description |
|-----------------|---|
| 840128 | Giraffe G20 + 2 Step Engineers Maintenance Stair |
| 840129 | Giraffe G20 + 2 Step Engineers Maintenance Stair w Slide Out Deck |
| 840130 | Giraffe G20 + 2 Step Engineers Maintenance Stair w Hammerhead Deck |
| 840132 | Giraffe G20 + 4 Step Engineers Maintenance Stair |
| 840133 | Giraffe G20 + 4 Step Engineers Maintenance Stair w Slide Out Deck |
| 840134 | Giraffe G20 + 4 Step Engineers Maintenance Stair w Hammerhead Deck |



G20 Configurations cntd

Own the high ground!

| Product Code | Product Description |
|-----------------|--|
| 840136 | Giraffe G20 + 8 Step Engineers Maintenance Stair |
| 840137 | Giraffe G20 + 8 Step Engineers Maintenance Stair w Slide Out Deck |
| 840138 | Giraffe G20 + 8 Step Engineers Maintenance Stair w Hammerhead Deck |
| 840140 | Giraffe G20 All Terrain Engineers Maintenance Stair |
| 840141 | Giraffe G20 All Terrain Engineers Maintenance Stair w Slide Out Deck |
| 840142 | Giraffe G20 All Terrain Engineers Maintenance Stair w Hammerhead Deck |

G20 Configurations cntd

| Product Code | Product Description |
|-----------------|---|
| 840144 | Giraffe G20 All Terrain + 1 Step Engineers Maintenance Stair |
| 840145 | Giraffe G20 All Terrain + 1 Step Engineers Maintenance Stair w Slide Out Deck |
| 840146 | Giraffe G20 All Terrain + 1 Step Engineers Maintenance Stair w Hammerhead Deck |
| 840148 | Giraffe G20 All Terrain + 2 Step Engineers Maintenance Stair |
| 840149 | Giraffe G20 All Terrain + 2 Step Engineers Maintenance Stair w Slide Out Deck |
| 840150 | Giraffe G20 All Terrain + 2 Step Engineers Maintenance Stair w Hammerhead Deck |





G20 Configurations cntd

Own the high ground!

| Product Code | Product Description |
|-----------------|---|
| 840152 | Giraffe G20 All Terrain + 4 Step Engineers Maintenance Stair |
| 840153 | Giraffe G20 All Terrain + 4 Step Engineers Maintenance Stair w Slide Out Deck |
| 840154 | Giraffe G20 All Terrain + 4 Step Engineers Maintenance Stair w Hammerhead Deck |
| 840156 | Giraffe G20 All Terrain + 8 Step Engineers Maintenance Stair |
| 840157 | Giraffe G20 All Terrain + 8 Step Engineers Maintenance Stair w Slide Out Deck |
| 840158 | Giraffe G20 All Terrain + 8 Step Engineers Maintenance Stair w Hammerhead Deck |

G20 Configurations cntd









Maintenance team morale booster

...and they will respond with safer work practices and faster turnaround... meaning less downtime for your profit producing gear and less stress over potential accidents.

The MX21 delivers the above with simple, rapid deployment and a strong, sturdy working platform at the right ergonomic height. Maintenance staff love it!

- Fast height adjustment over 1250mm /49" 6 heights in 6 seconds! (Hydraulic handpump optional.)
- Deck cantilever distance remains constant
- Wide, easy climb anti-slip treads with constant pitch throughout adjustment range
- No vertical climbing
- Huge range of options (all can be retrofitted)

Work is safer, faster, smarter with a Monkey MX21!

The Monkey MX21 units have been tested and confirmed to meet or exceed the strength, stability and all other applicable requirements for the following standards:

- AS/NZS 1576.1:2019 (Australia and New Zealand)
- ANSI-ASC A14.7-2011 (USA)
- CSA Z11-12 (Canada)





Seven great benefits

A solitary Monkey MX21 can replace multiple fixed height platforms.

The Monkey can be used as both a work deck or an accessway. Efficient in use and efficient to store...here are a few more great Monkey benefits!





Extra tough, sturdy and stable workdeck with fully compliant guard



Room to work on this generously sized work deck...it will handle you and your gear, WLL250kg / 551lb



Self closing, full size front gate



Convenient, solid rear sprung loaded gate



Easy to climb with constant grade access and super tough, anti slip hi-viz treads



Fits muliple jobs with 6 height instalments. Minimal floor footprint that remains the same for all platform heights



Rapid spring assisted adjustment






www.equiptec.co +64 6 842 0222

MX21 Height Range + Optional Accessories

One base model - reach up to $5.75m / 18 \frac{1}{2} ft$





EXTENDED CANTILEVER

Its often necessary to reach over obstacles to get to your project. The Extended Cantilever option gives awesome reach capacity - up to 1.2m /4 ft straight out! This 'bolt on' accessory (including the neatly stowed counterweight system) creates an amazing long deck that noses right up to that difficult job. Note this option will reduce the WLL to 150kg / 330lb.



HAMMERHEAD DECK

For two people to work side by side. This option still maintains a 200kg / 441lb WWL and allows unobstructed access across a wide 1.8m / 5.9ft front. Ideal for working on wide wall areas, or for jobs where two people are required.

Base Options

The Monkey MX21 system includes many retrofittable base options allowing you to configure a more exact solution for your access challenges. And when your needs change...so can your MX21!



GO-BASE

Glide around the workshop on 4 wheels. For longer distance moves, use the front wheel directional locks for easy quidance. Flick them off again in seconds for close up manoeuvres if needed. And when you are set to climb, just standing on the bottom tread auto locks all 4 wheel brakes firmly!



ALL TERRAIN KIT

This option allows you to work outdoors and off the hard stand. With 4 rubber wheels the MX21 can be pushed over metal yards and it also has 4 independantly adjustable jacks that provide both stability and the ability to level the MX21 on undulating sites.



4 STEP SUB CHASSIS

Additional height is gained through sub chassis extension kits. These fit easily with all other base kits (Go-Base + All Terrain) and the height adjusting ratchet is lowered so it remains at a comfortable reach height.



HYDRAULIC KIT

The smooth operation, double action Hydraulic kit makes light work of adjusting deck height, even with additional weight kits such as the Extended Cantilever or Hammerhead Deck





MX21 Configurations

Own the high ground!

| Product Code | Product Description |
|-----------------|---|
| 870123 | Monkey MX21 Engineers Maintenance Steps + Go-Base |
| 870124 | Monkey MX21 Engineers Maintenance Steps + Go-Base w Hydraulics |
| 870125 | Monkey MX21 Engineers Maintenance Steps + Go-Base w Hydraulics + Extended Cantilever |
| 870136 | Monkey MX21 Engineers Maintenance Steps + Go-Base w Hydraulics + Hammerhead Deck |

MX21 Configurations cntd

| Product Code | Product Description |
|-----------------|---|
| 870126 | Monkey MX21 Engineers Maintenance Steps + All Terrain Kit |
| 870127 | Monkey MX21 Engineers Maintenance Steps + All Terrain Kit w Hydraulics |
| 870138 | Monkey MX21 Engineers Maintenance Steps + All Terrain Kit w Hydraulics + Hammerhead Deck |
| 870128 | Monkey MX21 Engineers Maintenance Steps + 4 Step w Go-Base |



MX21 Configurations cntd

Own the high ground!



MX21 Configurations cntd

| Product Code | Product Description |
|-----------------|---|
| 870132 | Monkey MX21 Engineers Maintenance Steps + 4 Step Sub Chassis w All Terrain + Hydraulics |
| 870142 | Monkey MX21 Engineers Maintenance Steps + 4 Step Sub Chassis w All Terrain + Hydraulics + Hammerhead Deck |









Turbo charge your Maintenance Team

...with the nimble, sturdy, rapid-action S23 Adjustable Height Platform!

Everyone wins ... Maintenance Staff love the quick and easy maneuverability, fast adjustment to the right ergonomic height and strong sturdy platform. Management enjoy having happy staff, a reduction in stress from potential accidents and less downtime from maintenance procedures.

- Fast height adjustment over 750mm /29.5" 4 heights in 4 seconds!
- Deck cantilever distance remains constant
- Wide, easy climb anti-slip treads with constant pitch throughout adjustment range
- No vertical climbing
- Big range of options (all can be retrofitted)

Work is safer, faster, smarter with a Squirrel S23!

The Squirrel S23 units have been tested and confirmed to meet or exceed the strength, stability and all other applicable requirements for the following standards:

- AS/NZS 1576.1:2019 (Australia and New Zealand)
- ANSI-ASC A14.7-2011 (USA)
- CSA Z11-12 (Canada)





Seven great benefits

A solitary Squirrel S23 can replace multiple fixed height platforms.

The Squirrel can be used as both a work deck or an accessway. Efficient in use and efficient to store...here are a few more great Squirrel benefits!





Extra tough, sturdy and stable workdeck with fully compliant guard



Room to work on this generously sized work deck...it will handle you and your gear, WLL200kg / 441lb



Self closing, full size front gate



Convenient, solid rear sprung loaded gate



Easy to climb with constant grade access and super tough, anti slip hi-viz treads



Fits muliple jobs with 4 height instalments. Minimal floor footprint that remains the same for all platform heights



Rapid spring assisted adjustment











4

S23 Height Range + Optional Accessories

One base model - reach up to 4.4m / 14 1/4 ft

| | | Deck Height Range | Overall Width | Overall Length | Platform Width | Platform Length | Max Reach Height |
|-------|----------------|----------------------|------------------|-------------------|-------------------|--------------------|---------------------|
| S | 23 | 0.75m to 1.5m | 1047mm | 1596mm | 516mm | 856mm | 3.5m |
| | 29.5in to 59in | | 41.2in | 62.8in | 20.3in | 33.7in | 137.8in |
| S23 + | 2 Step | 1.25m to 2.0m | 1047mm | 1868mm | 516mm | 856mm | 4.0m |
| | | 49.2in to 78.7in | 41.2in | 73.5in | 20.3in | 33.7in | 157.5in |
| S23 + | 4 Step | 1.75m to 2.5m | 1047mm | 2187mm | 516mm | 856mm | 4.5m |
| Į. | | 68.9in to 98.4in | 41.2in | 86.1in | 20.3in | 33.7in | 177.2in |



EXTENDED CANTILEVER

Its often necessary to reach over obstacles to get to your project. The Extended Cantilever option gives awesome reach capacity - up to 630mm /24.8 in straight out! This 'bolt on' accessory (including the neatly stowed counterweight system) creates an amazing long deck that noses right up to that difficult job.

Base Options

The Squirrel S23 system includes many retrofittable base options allowing you to configure a more exact solution for your access challenges. And when your needs change...so can your S23!



GO-BASE

Glide around the workshop on 4 wheels. For longer distance moves, use the front wheel directional locks for easy guidance. Flick them off again in seconds for close up manoeuvres if needed. And when you are set to climb, just standing on the bottom tread auto locks all 4 wheel brakes firmly!



NARROW GO-BASE

All the same attributes of the Standard Go-Base, but condensed to fit within the width of the Squirrel frame. Excellent for areas with restricted maneuvering room and all counterbalanced to retain the same excellent stability.



ALL TERRAIN KIT

This option allows you to work outdoors and off the hard stand. With 4 rubber wheels the S23 can be pushed over metal yards and it also has 4 independently adjustable jacks that provide both stability and the ability to level the S23 on undulating sites.



STEP SUB CHASSIS

Additional height is gained through sub chassis extension kits. These fit easily with all other base kits (Go-Base + All Terrain) and the height adjusting ratchet is lowered so it remains at a comfortable reach height where applicable.





S23 Configurations

Own the high ground!

| Product Code | Product Description |
|-----------------|--|
| 880121 | Squirrel S23 Engineers Maintenance Steps + Go-Base |
| 880122 | Squirrel S23 Engineers Maintenance Steps + Go-Base w Extended Cantilever |
| 880123 | Squirrel S23 Engineers Maintenance Steps + Narrow Go-Base |
| 880124 | Squirrel S23 Engineers Maintenance Steps + Narrow Go-Base w Extended Cantilever |

S23 Configurations cntd

| Product Code | Product Description |
|-----------------|--|
| 880125 | Squirrel S23 Engineers Maintenance Steps + All Terrain |
| 880126 | Squirrel S23 Engineers Maintenance Steps + All Terrain w Extended Cantilever |
| 880127 | Squirrel S23 Engineers Maintenance Steps + 2 Step w Go-Base |
| 880128 | Squirrel S23 Engineers Maintenance Steps + 2 Step w Go-Base w Extended Cantilever |

S23 Configurations cntd

Own the high ground!

| Product Code | Product Description |
|-----------------|---|
| 880129 | Squirrel S23 Engineers Maintenance Steps + 2 Step w Narrow Go-Base |
| 880130 | Squirrel S23 Engineers Maintenance Steps + 2 Step w Narrow Go-Base + Extended Cantilever |
| 880131 | Squirrel S23 Engineers Maintenance Steps + 2 Step w All Terrain |
| 880132 | Squirrel S23 Engineers Maintenance Steps + 4 Step w Go-Base |

S23 Configurations cntd

| Product Code | Product Description |
|-----------------|--|
| 880133 | Squirrel S23 Engineers Maintenance Steps + 4 Step w Go-Base + Extended Cantilever |
| 880134 | Squirrel S23 Engineers Maintenance Steps + 4 Step w All Terrain |









www.equiptec.co Ph: +64 6 842 0222

